

yn



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/056,049	01/28/2002	David Sharoni	P-3944-US	1913
27130	7590	04/01/2005	EXAMINER	
EITAN, PEARL, LATZER & COHEN ZEDEK LLP 10 ROCKEFELLER PLAZA, SUITE 1001 NEW YORK, NY 10020			AZARIAN, SEYED H	
			ART UNIT	PAPER NUMBER
			2625	
DATE MAILED: 04/01/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/056,049

Applicant(s)

SHARONI ET AL.

Examiner

Seyed Azarian

Art Unit

2625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 28 January 2002.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-18 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-18 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 28 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application (PTO-152)  
6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

2. Claims 1, 4-18, are rejected under 35 U.S.C. 102(e) as being anticipated by Fernandez et al (U.S. patent 6,697,103).

Regarding claim 1, Fernandez discloses a system comprising: one or more processing units, each coupled to a video sensor or an audio sensor to receive video or audio data from said sensor (column 2, lines 66-67 thru column 3, lines 1-11, controller 6 may include one or more digital microprocessor unit, operating system software, digital storage devices, output/input devices such as microphones, cameras, and interface with remote processing or network access software for streamed video or audio data also, also column 5, lines 42-67 thru column 6, lines 11-42, target units 4 may couple wirelessly to at least one controller 6 through network 8, target unit 4 may include sensor unit 44, sensor unit 44 may include one or more video cameras, active sensor, microphone or other optical, medical, or physical monitoring device to provide real-time object data, such as audio/video signals, target unit 4 input sensor 44 processes authenticated voice pattern. Communicator 46 is coupled to sensor unit 44 to send or receive real-time or store-and-forward object data or packets generated by sensor 44, processor 48 and memory 49

Art Unit: 2625

including operating and web browser software are also provided to enable access and/or processing of data received from sensor 44 and accessible via any corresponding server equipment coupled thereto);

application bank coupled to said processing units, said application bank comprising content-analysis applications; (column 8, lines 20-61, Fig.3 shows block diagram of controller 6, includes microprocessor 48 and storage 49 and software 66 (application bank) which consists of a layered arrangement of application modules for analyzing and/or processing data);

and a control unit coupled to said processing units and to said application bank, said control unit able to instruct said application bank to install at least one of said applications into at least one of said processing units, (column 8, lines 35-38, an innovative instruction code and any related firmware or circuitry/equipment for analyzing and/or processing data);

wherein each of said processing units is able to process said video or audio data according to said at least one application-installed therein (column 8, lines 44-48, modules are customizable and adaptable according to need of object surveillance, modules may be combined into common seamless programs or partitioned into multiple distinct cooperating program components);

Regarding claim 2, Fernandez discloses the system of claim 1, wherein at least one of said content-analysis application is a video movement-detecting application, a video based people counting application, a face detection and recognition application, a voice detection and, recognition application, an object detection application or a recognition and surveillance application (column 8, lines 40-43, object movement processing 163, visual object analyzer also column 6, lines 24-25, sensor 44 processes for voice recognition).

Regarding claim 4, Fernandez discloses the system of claim 1 further comprising at least one additional processing unit coupled to a sensor, which is a smoke sensor, a fire sensor, a motion detector, a sound detector, a presence sensor, a movement sensor, a volume sensor or a glass breakage sensor (column 3, lines 43-46, combined or integrated fixed and mobile network arrangement, controller 6, which in combination with network 8, communicator 7, servers 5, and corresponding detectors 3 coupled thereto, also column 4, lines 43-46, detectors 3 may be implemented to sense measurement signals from motion detector, burglar alarm, smoke detector).

Regarding claim 5, Fernandez discloses the system of claim 1 further comprising a database to store indexing data associated with said video or audio data (column 4, lines 16-22, integrated system database maintains and updates past, current, location for each sensor coupled to the system, as function of time or schedule, also column 9, lines 25-29, database structure 162 may include schedule or other temporal scheme associated with one or more object presence, movement and/or other observed condition in one or more monitored locations).

Regarding claim 6, Fernandez discloses the system of claim 1, wherein said application bank, said control unit and said processing units are all coupled via a local area or a wide area network (column 2, lines 66-67 thru column 3, lines 1-11, controller 6 may include one or more digital microprocessor unit, operating system software, digital storage devices, output/input devices such as microphones, cameras, and interface with remote processing or "network access" software for streamed video or audio data also, also column 5, lines 42-67 thru column 6, lines 11-42, target units 4 may couple wirelessly to at least one controller 6 through network 8, target unit 4 may include sensor unit 44, sensor unit 44 may include one or more video cameras, active

Art Unit: 2625

sensor, microphone or other optical, medical, or physical monitoring device to provide real-time object data, such as audio/video signals, target unit 4 input sensor 44 processes authenticated voice pattern. Communicator 46 is coupled to sensor unit 44 to send or receive real-time or store-and-forward object data or packets generated by sensor 44, processor 48 and memory 49 including operating and web browser software are also provided to enable access and/or processing of data received from sensor 44 and accessible via any corresponding server equipment coupled thereto).

Regarding claim 7, Fernandez discloses the system of claim 1, wherein said processing unit is able to notify said control unit when one of said applications installed in said processing unit detects a predefined condition associated with at least a portion of said audio or video data (column 9, lines 25-33, database structure 162 may include schedule or temporal scheme associated with one or more object presence, movement and/or observed condition, control software 66 may compare, record or alert).

Regarding claim 8, Fernandez discloses a system comprising: one or more processing units, each coupled to a video sensor or an audio sensor to receive video or audio data from said sensor; an application bank coupled to said processing units, (column 2, lines 66-67 thru column 3, lines 1-11, controller 6 may include one or more digital microprocessor unit, operating system software, digital storage devices, output/input devices such as microphones, cameras, and interface with remote processing or network access software for streamed video or audio data also, also column 5, lines 42-67 thru column 6, lines 11-42, target units 4 may couple wirelessly to at least one controller 6 through network 8, target unit 4 may include sensor unit 44, sensor unit 44 may include one or more video cameras, active sensor, microphone or other optical,

Art Unit: 2625

medical, or physical monitoring device to provide real-time object data, such as audio/video signals, target unit 4 input sensor 44 processes authenticated voice pattern. Communicator 46 is coupled to sensor unit 44 to send or receive real-time or store-and-forward object data or packets generated by sensor 44, processor 48 and memory 49 including operating and web browser software are also provided to enable access and/or processing of data received from sensor 44 and accessible via any corresponding server equipment coupled thereto);

an application bank comprising one or more content analysis applications (column 8, lines 20-61, Fig.3 shows block diagram of controller 6, includes microprocessor 48 and storage 49 and software 66 (application bank) which consists of a layered arrangement of application modules for analyzing and/or processing data);

a control unit coupled to said processing units and to said application bank, said control unit able to instruct said application bank to install at least one of said applications into at least one of said processing units, (See claim 1);

wherein each of said processing units is able to process said video or audio data according to said at least one application installed therein and to notify said control unit when one of said applications installed in said processing unit detects a predefined condition associated with at least a portion of said audio or video data (column 8, lines 35-38, an innovative instruction code (notify) and any related firmware or circuitry/equipment for analyzing and/or processing data also column 9, lines 25-33, database structure 162 may include schedule or temporal scheme associated with one or more object presence, movement and/or observed condition, control software 66 may compare, record or alert).

Regarding claim 10, Fernandez discloses a method comprising: installing one or more content-analysis applications from an application bank into one or more video or audio processing units, said application selected according to predetermined criteria; and processing input received from one or more video or audio sensors each coupled to a respective video or audio processing unit according to at least one of said applications (see claim 7, also column 5, lines 42-67 thru column 6, lines 11-42, target units 4 may couple wirelessly to at least one controller 6 through network 8, target unit 4 may include sensor unit 44, sensor unit 44 may include one or more video cameras, active sensor, microphone or other optical, medical, or physical monitoring device to provide real-time object data, such as audio/video signals, target unit 4 input sensor 44 processes authenticated voice pattern. Communicator 46 is coupled to sensor unit 44 to send or receive real-time or store-and-forward object data or packets generated by sensor 44, processor 48 and memory 49 including operating and web browser software are also provided to enable access and/or processing of data received from sensor 44 and accessible via any corresponding server equipment coupled thereto).

Regarding claim 11, Fernandez discloses the method of claim 10 further comprising: recording at least a portion of said input (column 9, lines 25-33, database structure 162 may include schedule or temporal scheme associated with one or more object presence, movement and/or observed condition, control software 66 may compare, record or alert).

Regarding claim 13, Fernandez discloses the method of claim 10 further comprising: providing to a client computer a real-time stream of video data, audio data or a combination thereof upon receiving a request from said client computer (column 3, lines 4-13, conventional access interface firmware or circuit, such as Ethernet card, and remote processing or network



access network such as web browser using streamed video or audio data format, in this configuration, real-time or stored remote and/or local access is achieved via the internet; also, column 12, lines 20-24, continuous or dynamic streaming about object may be obtained in live video or audio feeds invoked by user request).

Regarding claim 14, Fernandez discloses the method of claim 10, further comprising: providing to a client computer a real-time stream of video data, audio data or a combination thereof according to a predetermined time-based schedule (column 6, lines 59-60, controller user may provide input to specify or request (schedule) current or future monitoring or surveillance; also, column 9, lines 25-30, database structure 162 may include schedule or other temporal scheme associated with one or more object presence, movement and/or other condition, user therefore may compare ).

Regarding claim 15, Fernandez discloses the method of claim 13 wherein providing said real-time data comprises providing synchronized video data received from at least two sensors (column 3, lines 40-42, more than one detector may be accessible, in parallel or multiplexed).

Regarding claim 17, Fernandez discloses the method of claim 11 further comprising: down-loading at least one content-analysis application from said application bank to a client computer; providing to said client computer recorded data upon receiving a request from said client computer; and processing said recorded data according to at least one of said installed applications (column 5, lines 5-8, user may download object data; also column 8, lines 31-37, software 66 includes operating system such as browser software for accessing any related circuitry/equipment for analyzing and/or processing data).

Regarding claim 12, arguments analogous to those presented for claim 7 are applicable.

Art Unit: 2625

Regarding claim 16, arguments analogous to those presented for claim 15 are applicable.

Regarding claims 9 and 18, arguments analogous to those presented for claim 1 are applicable.

### **Claim Rejections - 35 USC § 103**

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 3, is rejected under 35 U.S.C. 103(a) as being unpatentable over Fernandez et al (U.S. patent 6,697,103) in view of Monroe (U.S. patent 6,246,320).

Regarding claim 3, Fernandez does not explicitly state, “a video compression application”. On the other hand Monroe in the same field of integrated surveillance systems teaches that functions such as a video compressor such as JPEG may all be performed as software (Fig. 3, column 12, line 66 through column 13, line 16).

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Fernandez invention according to the teaching of Monroe because it provides video compression software, which can easily be implemented to the software storage modules of an integrated surveillance system).

### Other prior art cited

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. patent (6,856,343) to Arazi et al is cited for digital video logging system.

U.S. patent (6,330,025) to Arazi et al is cited for digital video logging system.

U.S. patent (6,826,173) to Kung et al is cited for enhanced subscriber IP alerting.

U.S. patent (5,751,707) to Voit et al is cited for an interaction through wireless digital video network.

U.S. patent (5,987,154) to Gibbon et al is cited for method and means for detecting people in image sequences.

### Contact Information

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seyed Azarian whose telephone number is (703) 306-5907. The examiner can normally be reached on Monday through Thursday from 6:00 a.m. to 7:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta, can be reached at (703) 308-5246. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval (PAIR) system. Status information for published application may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2625

Status information about the PAIR system, see [http:// pair-direct.uspto.gov](http://pair-direct.uspto.gov). Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

*Seyed Azarian*  
*Patent Examiner*  
*Group Art Unit 2625*  
March 6, 2005

*Seyed azarian*